


SK 10 Wheel DUMP TRUCK BOTH  
X2



**Mack Granite 64FT with MP8-455HP 1760 lb-ft with Allison 4500 6 Speed Manual**

Please find our quotation for a new Mack Truck(s) as per enclosed Technical Specification, MOUN2022000296P731

(1) MY2024 Granite 64FT

**Total Factory Price (Model, Options, CA) \$109,080.88**

**Market Extras**

24A Freight \$2,650.00  
24A Material Surcharge \$5,000.00

**Total Equipment price \$116,730.88**

**Warranty options**

5 Yr/250,000 miles Engine 2 and Aftertreatment \$3,175.00  
5 year Allison Transmission warranty \$843.00

**APPROVED AS TO FORM:**

*James A. Welch* 1/11/23  
James A. Welch  
Tooele County Manager

*Colin R. Winchester* 01/11/2023  
Colin R. Winchester  
Deputy Tooele County Attorney



Bed & Snow pkg w wing. State contract.

X2



Owen Equipment Company  
1220 South Legacy View Street  
Salt Lake City, UT 84104  
Phone: 801-975-0400  
Fax: 801-975-7567  
www.owenequipment.com

QUOTATION

Quote ID: MSL0001365

Page 1 of 6

1836  
Customer: TOOELE COUNTY  
47 S. MAIN  
TOOELE UT 84074

Quote Number: MSL0001365  
Quote Date: 7/28/2022  
Quote valid until: 8/27/2022

Contact: SCOTT KENISON  
Phone: 435-843-3204  
Fax:

Salesperson: JEREMY KINDER

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1 EA	15' DUMP BODY SNOW PACKAGE, WITH PLOW, WING PLOW AND SPREADER MOUNTED ON CUSTOMER SUPPLIED CHASSIS WITH A 138" CT		
1 EA	TBEI CRYSTEEL 15' CARBON STEEL DUMP BODY MAB-SLTS-84/96-1500-12Y-M63138-60/38/46 BODY LENGTH 15'-0" BODY ID 84 BODY OD 96 HOIST MOUNTING TYPE STANDARD HOIST MODEL M63138 FRONT STYLE STRAIGHT SIDE STYLE SINGLE PANEL W/RUBRAIL/PRESSED HORIZONTAL REAR STYLE STRAIGHT FRAME STYLE 8 WESTERN I-BEAM FRONT HEIGHT 60 SIDE HEIGHT FRONT 38 SIDE HEIGHT REAR 38 REAR HEIGHT 46 FRONT MATERIAL 10GA A1011 STEEL SIDE MATERIAL 10GA A1011 STEEL REAR MATERIAL 7GA A1011 STEEL FLOOR MATERIAL 1/4 AR450 STEEL FRAME MATERIAL A36 STEEL ASPHALT REAR YES REAR PILLAR WIDTH 18 TAILGATE RELEASE TYPE AIR TAILGATE HINGE TYPE 1.5 THICK / 7 OFFSET TAILGATE THICKNESS 2.5 TAILGATE BRACING STYLE 2H LOWER RAIL GRIP STRUT WALKWAY SIDE VERTICAL QUANTITY 0 FRONT BRACE QUANTITY 1 CHAIN SLOT BRACKET TYPE BANJO REAR LIGHT CUTOUPS 2 OVALS LIGHT CARTON LED W/BACKUP W/AIR CYL CONNECTION KIT ---NO CUSTOM OPTIONS--- FINISH PAINT OPTIONS WASH AND PRIME WASH AND COMMERCIAL GRADE URETHANE PRIMER UNDERBODY COATING WASH/BLACK COMPLETE UNDERBODY LIGHT CARTON LED W/BACKUP W/AIR CYL CONNECTION KIT		



Owen Equipment Company  
 1220 South Legacy View Street  
 Salt Lake City, UT 84104  
 Phone: 801-975-0400  
 Fax: 801-975-7567  
 www.owenequipment.com

**QUOTATION**

Quote ID: MSL0001365

Page 2 of 6

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
	TAILGATE CHAIN KIT YES		
	AIR CYLINDER YES		
	POST PAINT OPTIONS		
	MOUNT HOIST TO BODY M63138 SA		
1	EA HINGE ASSEMBLY WITH PAD REAR WELD LARGE (STD)		
1	EA CABSHIELD ASSEMBLY 16" X 10" X 78" WIDE		
1	EA PAINT DUMP BODY 12' WHITE		
1	EA BODY UP, INDICATOR KIT		
1	EA <b>FORCE AMERICA HYDRAULIC PACKAGE</b> 10 BOLT- CONSTANT MESH - WET SPLINE ROTATABLE DIN 5462 MOUNT PTO 287GCFJW-M8RY CFG-999182 DEFAULT CONFIGURATION TXV92-R-KIT-CFG 6000 PSI FILTER - 25 MICRON MICROGLASS - 435 PSI DELTA P SINGLE END OPEN - NITRILE SEALS - DUAL #16 OR 1-1/2" SF PORTS 102 PSI BYPASS VALVE - SS VIS. ELECT. INDICATOR SAE 16 / 1-1/2" SF CODE 62 METRIC PORTS - 24 LBS. HP3.170-0014 HP171 & HP3 FILTER ELEMENT, 25 MICRON GLASS (01E17025VG30EP) 300150 FULL PORT HIGH PSI BALL VALVE 5000 PSI FA-HPBV-16 CFG-058479 UTAH BEHIND THE CAB RESERVOIR WITH UPRIGHT VALVE ENCLOSURE S STR KIT-CFG TEMP/LEVEL SENDER 158 DEGREE F 30 GAL WITH SLOSH SHIELD VT-35 S2-TSM10-L212-AC-DN-SS 10 MICRON SYNTHETIC Z-GLASS ELEMENT FOR SRF & TS SERIES FILTER - INTERCHANGE SCHROEDER "K" SERIES ZSRE-409-10 1090692 CFG-067077 AAF-3-PFK4-4-4(CB-A; B@800)-4-PRI-2-SAV PMV KIT-CFG CFG-067081 MPJC-6100-3-GEN5-ULTRA MPJC-6100-3-GEN5-ULTRA-CFG ASSY - PRESSURE RELEASE MFLD C10190		
1	EA <b>HOSE, COUPLERS &amp; FITTINGS FOR HYDRAULIC SYSTEM</b>		
1	EA <b>HENKE 43R12J, SSTE - 12 FOOT REVERSIBLE PLOW        MOLDBOARD</b> HOME SAFE SNOWPLOW 12' LONG X 43" HIGH WITH 10-GAUGE GRADE 50, ROLLED PLATE, "INVERTED J" STYLE MOLDBOARD TOP ANGLE: 3" X 2-1/2" X .3/8" BOTTOM ANGLE: 4" X 3" X 1/2" RIBS: (10) 1/2" WITH TWO HORIZONTALS SUPPORT FOR ADDED RIGIDITY (4) MOLDBOARD TO PUSH-FRAME CONNECTION POINTS WITH BUSHINGS (SSTE) SQUARE SPRING TRIP-EDGE WITH SINGLE SHAFT <b>TRIPEDGE</b> (SSTE) SQUARE SPRING TRIP-EDGE WITH SINGLE SHAFT <b>PUSH-FRAME</b> PARALLEL LIFT SYSTEM PUSH-FRAME WITH 5" X 2" X .250 UPPER TUBE AND A 6" X 4" X .375 LOWER TUBE THAT HAS PROVISIONS FOR RUNNING GEAR UPPER AND LOWER TUBES ARE CONNECTED BY A SUPPORT STRUCTURE THAT ALLOWS FOR TRUE PARALLEL LIFT AND OSCILLATION		



Owen Equipment Company  
 1220 South Legacy View Street  
 Salt Lake City, UT 84104  
 Phone: 801-975-0400  
 Fax: 801-975-7567  
 www.owenequipment.com

**QUOTATION**

Quote ID: MSL0001365

Page 3 of 6

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
	<p><b>ARMS</b>            PARALLEL LIFT SYSTEM DUAL A-LIFT ARMS WITH MECHANICAL FLOAT THAT ALLOWS FOR MECHANICAL MEANS OF FLOAT BETWEEN PLOW AND TRUCK PORTION FLAT PLATE HITCH THIS EXCLUSIVE MECHANICAL FLOAT SYSTEM ALLOWS THE PLOW TO FOLLOW THE PROFILE OF THE ROAD WITH 22.5" OF TRAVEL OVER OBSTACLES WITHOUT AN EXPENSIVE HYDRAULIC FLOAT SYSTEM THE MECHANICAL FLOAT SYSTEM CAN QUICKLY REACT TO CHANGES IN ELEVATION WITH LESS RESISTANCE THAN AN EXPENSIVE HYDRAULIC FLOAT SYSTEM THE MECHANICAL FLOAT SYSTEM IS MUCH SIMPLER FOR DEALERS OR END USERS ONLY REQUIRING (2) TWO DOUBLE-ACTING HYDRAULIC CIRCUITS JUST LIKE A CONVENTIONAL PLOW SETUP</p> <p><b>SWIVEL</b>            PARALLEL LIFT SYSTEM SWIVEL HAS A POLY WEAR SHEET BETWEEN OSCILLATION SURFACES TO REDUCE FRICTION AND ALSO INCLUDES BUSHINGS AT ALL CONNECTIONS TO INCREASE STRENGTH AND PREVENT OVER-TIGHTENING</p> <p><b>CYLINDERS</b>            PARALLEL LIFT SYSTEM CYLINDERS INCLUDE THE FOLLOWING: (2) TWO MATCHING 4" X 15-1/8" X 2" HYDRAULIC REVERSING CYLINDERS WITH A CUSHION VALVE (1) ONE 4" X 13-1/8" X 2" HYDRAULIC LIFT CYLINDER WITH ADJUSTABLE DOWN PRESSURE RELIEF AN ON BOARD ACCUMULATOR THAT ALLOWS FOR THE COLLECTION OF OIL WHILE RAISING, LOWERING, AND FLOATING OF THE PLOW DURING OPERATION ACCUMULATOR CAN BE USED WITH OR WITHOUT A HYDRAULIC LOAD COMPENSATING SYSTEMS SUCH AS A "POWER FLOAT" SYSTEM ALSO KNOWN AS "PLOW BALANCE" SYSTEM PLOW PORTION HITCH, PLOW SIDE FLAT PLATE HITCH ACCEPTS ALL PARALLEL LIFT TRUCK SIDE FLAT PLATE HITCHES</p> <p><b>RUNNING GEAR</b>            HENKE PARALLEL LIFT SYSTEM DUAL PARKING STANDS THAT KEEP THE PLOW IN POSITION FOR EASY ON AND OFF THE TRUCK</p> <p><b>RUBBER SHIELD</b></p> <p><b>CUTTING EDGE</b>            1/2" X 8" SAE 1084 HIGH CARBON STEEL CUTTING EDGE</p> <p><b>FEATURES AND ADD ONS</b>            ROD MARKERS            DUAL STABILIZER BARS WITH (3) ADJUSTABLE LAYBACK POSITIONS            PAINT: OMAHA ORANGE</p>		
1 EA	<p><b>HENKE FPH - FLAT PLATE HITCH</b>  <b>HITCH</b>            TRUCK SIDE FLAT PLATE HITCH ACCEPTS ALL PARALLEL LIFT PLOWS AND ADAPTER HITCHES (SQH)  <b>TRUCK ATTACH</b>            SIDE PLATE STYLE TRUCK ATTACH KIT PLEASE NOTE THIS KIT MAY NEED MODIFICATION / ADDITIONAL DEALER OR END USER SUPPLIED MATERIAL AT TIME OF INSTALL UNLESS THE HENKE INSTALL OPTION IS SELECTED OR INCLUDED            PAINT SATIN BLACK</p>		



Owen Equipment Company  
 1220 South Legacy View Street  
 Salt Lake City, UT 84104  
 Phone: 801-975-0400  
 Fax: 801-975-7567  
 www.owenequipment.com

**QUOTATION**

Quote ID: MSL0001365

Page 4 of 6

QUANTITY		DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	<p><b>HENKE PPW,12, NT,29/36 - 12 FOOT TAPERED WING</b>  <b>HENKE POSTLESS PATROL WING</b>            MID-MOUNT DESIGN WITH 12.65" OF FLOAT 23" BY 12" HEAVY-DUTY PARALLEL ARM STRUCTURE WITH 3" X 10" X 2" DOUBLE-ACTING LIFT CYLINDER (LOCK VALVE IS RECOMMENDED TO PREVENT DRIFTING) PARALLEL ARM STRUCTURE WILL NOT BIND UP LIKE TRADITIONAL SLIDE POSTS SO IT REQUIRES LESS MAINTENANCE AND WILL LAST LONGER ADDITIONALLY, OUR UNIQUE "TRUE FLOAT, NON-TRAILING LINK" DESIGN REDUCES WING "CHATTER" AND INCREASES EFFECTIVENESS TO CUT THROUGH PACKED SNOW AND ICE</p> <p><b>FRONT STRUCTURE</b>            FRONT POST MOUNTING ITEMS THAT INCLUDE: (2) TWO 12" WIDE MOUNTING PLATES, ATTACHING ANGLES TO HOLD THE CROSS-TUBE TO THE MOUNTING PLATES AND A PIPE BRACE ASSEMBLY</p> <p><b>MOLDBOARD</b>            MOLDBOARD SETUP FOR DUAL PUSH-BEAM REAR LIFT 12' LONG LEADING END HEIGHT 29" AND DISCHARGE END HEIGHT 36" SMOOTH ROLLED 3/16" HI-TENSILE 50,000PSI STEEL PLATE NON-TRIP (2) TWO POSITION PIVOT BUSHING ON LEADING END AND (6) SIX POSITION PUSHBEAM ADJUSTMENT ON BACK-SIDE OF DISCHARGE END</p> <p><b>WING HINGE</b>            NON-TRIP WING MOLDBOARD / POST HINGE ASSEMBLY THAT INCLUDES A PULL PIN SO THE WING MOLDBOARD CAN BE REMOVED FROM THE WING POST</p> <p><b>SHIP LOOSE</b>            INSTALL KIT THAT INCLUDES PUSH-BEAM TO MOLDBOARD ATTACHING PLATE AND A HARDWARE BAG</p> <p><b>REAR ATTACH</b>            BETWEEN TANDEM REAR ATTACH STRUCTURE FOR HMX 400 SUSPENSION (PLEASE VERIFY AT TIME OF ORDER) REAR ATTACH WILL INCLUDE A FULLY ADJUSTABLE WING STOP WITH RUBBER CUSHION AND SAFETY LOCK CHAIN</p> <p><b>PUSH BEAM</b>            SINGLE PUSH-BEAM THIS IS SET UP FOR REAR LIFT PUSH-BEAM IS SPRING-CUSHIONED AND MANUALLY ADJUSTABLE FOR SWATH CONTROL INCLUDES A 3" X 15" X 2" DOUBLE ACTING WING STOW CYLINDER WITH DECEL FEATURE WITH BUILT IN LOCK VALVE PUSH-BEAM INNER MATERIAL IS 3" X 3" X 3/8" SQUARE TUBE AND OUTER MATERIAL IS 4" X 4" X 3/8" SQUARE TUBE PUSH-BEAM HAS HENKE EXCLUSIVE FLOAT LINK ASSEMBLY - ALLOWS FOR ADDITIONAL MECHANICAL MEANS OF FLOAT</p> <p><b>CUTTING EDGE</b>            1/2" X 6" SAE 1084 HIGH CARBON STEEL CUTTING EDGE</p> <p><b>FEATURES AND ADD ONS</b>            HENKE REMOTE MOUNT LOCK VALVE THAT PREVENTS POST DRIFT            PAINT: OMAHA ORANGE</p>		
1	EA	<b>SNOWPLOW LIGHT (PAIR) - HALOGEN, 4 X 6 IN. RECTANGULAR, 2 BULB, 12 VOLT KIT</b>		
2	EA	<b>SNOWPLOW LIGHT BRACKET (EACH)</b>		
6	EA	<b>SNOWPLOW LIGHT BRACKET FEET</b>		



Owen Equipment Company  
 1220 South Legacy View Street  
 Salt Lake City, UT 84104  
 Phone: 801-975-0400  
 Fax: 801-975-7567  
 www.owenequipment.com

**QUOTATION**

Quote ID: MSL0001365

Page 5 of 6

QUANTITY		DESCRIPTION	UNIT PRICE	AMOUNT
1	EA	<b>SWENSON SPREADER EV100-16-82-56 SS</b> 16 FT LENGTH, 82" WIDTH, 56" SIDE HEIGHT HYDRAULIC-DRIVEN SPREADER WITH 25:1 GEARBOX RATIO 1 1/2" DRIVESHAFT, 2" POLY IDLER ASSEMBLY 20" POLY SPINNER DISC 45° SIDE SLOPE 1 1/2" X 3/8" DOUBLE-WELDED CROSS BARS 12-GAUGE STAINLESS SIDES AND ENDS 10-GAUGE STAINLESS STEEL LONGITUDINALS TAPERED INVERTED V 10-GAUGE STAINLESS STEEL BOLT-IN REPLACEABLE CONVEYOR FLOOR SELF-CLEANING PINTLE STYLE CONVEYOR CHAIN (21,000 LBS. TENSILE STRENGTH PER STRAND) REAR CHAIN WIPER SWING UP SPINNER 12" ADJUSTABLE HEIGHT SPINNER EXTENSION THREE INTERNAL BAFFLES AND FOUR EXTERNAL BAFFLES IN LOWER SPINNER ASSEMBLY DROP-N-LOCK TOP SCREENS REDESIGNED BOLT-IN 6" HAT CHANNEL SS LADDER * WINCH FOR SWING-UP SPINNER ASSEMBLY * TAILGATE LATCH KIT – SS		
1	EA	<b>4" L.E.D. SPINNER LIGHT</b>		
1	EA	<b>BUCKPLATE TOW PACKAGE-HEAVY DUTY INCLUDING:</b>		
		- 3/4" STEEL CONSTRUCTION		
1	EA	BUCKPLATE, HEAVY DUTY		
		3/4" STEEL BUCKPLATE & SIDES		
1	EA	GLADHAND, EMERGENCY		
1	EA	GLADHAND, SERVICE		
2	EA	5/8 IN. D-RING		
1	EA	<b>PREMIER 470A AIR PINTLE HITCH</b>		
1	EA	7 WAY TRAILER PLUG-ROUND PINS (PLEASE SPECIFY IF FLAT INSTEAD OF ROUND PINS)		
1	EA	<b>CHIPPER BAR</b>		
1	EA	7 WAY RECEPTACLE RUBBER BOOT		
1	EA	<b>PUP KIT FOR REAR OF TRUCK</b> INCLUDING HOSES, FITTINGS, AIRLINES FOR BRAKES & TAILGATE CYLINDER, TAILGATE CYLINDER TOGGLE SWITCH IN-CAB (PLEASE SPECIFY IF SEPARATE PLUG IS REQUIRED) CHECK THE CLEARANCE OF THE FITTINGS WHEN THE PUP IS CONNECTED AND THE DUMP BODY IS RAISED. IF NECESSARY, INSTALL PUP TRAILER TARP SWITCH IN CAB.		



Owen Equipment Company  
 1220 South Legacy View Street  
 Salt Lake City, UT 84104  
 Phone: 801-975-0400  
 Fax: 801-975-7567  
 www.owenequipment.com

**QUOTATION**

Quote ID: MSL0001365

Page 6 of 6

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
1 EA	BACKUP ALARM-97db		
2 EA	OWEN EQUIPMENT MUD FLAP INSTALLED BEHIND REAR WHEELS		
1 EA	VEHICLE PREP & INSTALLATION INCLUDING WEATHERSTRIPPING, FENDER FLAIRS, DECALS, TOUCH-UP & DETAILING		
Quote Total:			\$157,119.00
Sales Tax:			
Total Due:			\$157,119.00

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT	ADD TO QUOTE
1 EA	ROLL-RITE TARPMASER ELECTRIC 4-SPRING ALUMINUM TARP SYSTEM WITH TENSION BOW FOR UP TO 22FT OF TARP INCLUDING: 36460 97" TARP SPOOL 46440 PIVOT SET 76700 TARP BOW SET 76710 TENSION BOW SET	\$3,406.00	\$3,406.00	Yes / No
2 EA	30 DEGREE ELBOW FOR TAPER	\$183.00	\$366.00	Yes / No
1 EA	84" X 20' HD ASPHALT TARP FOR 15'-16' DUMP BED-NO GROMMETS	\$164.00	\$164.00	Yes / No

- ◆ Pricing Valid 30 days from the date of this quotation.
- ◆ Pricing subject to change pending availability of the chassis.
- ◆ Price does not include chassis or equipment modifications that may be necessary due to unforeseen compatibility issues. Customer will be contacted for approval before any modifications are made.
- ◆ Paint, if applicable, will be matched as closely as possible. An exact match cannot be guaranteed.
- ◆ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ◆ Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis
- ◆ Quote may not include all applicable Federal Excise Tax, Sales Tax or Delivery Fees.

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

APPROVED AS TO FORM:

*Colin Winchester* 01/11/2023  
 Colin R. Winchester  
 Deputy Tooele County Attorney

Notes:



# Tooele County Council Agenda Item Summary

Department Making Request:

Roads

Meeting Date:

1-3-2023

**Mark Options That Apply:**

Grant  
1 time

Contract  
1 yr. or less

Purchase

Exp date: \_\_\_\_\_

Grant  
With County Match

Contract  
More than 1 yr.

Exp date: \_\_\_\_\_

**Budget Impact:**

In Budget

Over Budget

Amount of Contract, Service, Grant: \$ 547,861.76

**Item Title:** (2) Snow Plow Trucks Purchase

*Please answer the who? what? when? why?*

The Roads department requested and was approved \$577,700 to purchase (2) 10-wheelers with wing plows. We received quotes from the State contract vendor Freightliner and from Mack for the chassis. We currently service both Mack and Freightliner plow trucks in our fleet. Mack was over \$8,000 less than Freightliner so we are requesting approval to purchase the (2) Mack 10-wheelers for \$233,461.76.

The bed and snow plow package was quoted by Owen Inc. and Owen is a State contract vendor. The (2) snow plow packages Owen quoted total \$314,400. The total budgeted amount for both trucks in the equipment line is \$577,700. Purchases over \$100,000 need council approval so the Roads dept. is requesting approval of \$547,861.76 for the purchase of (2) 10-wheeler snow plow trucks with the wing plow package.

List who needs copies when approved: Jed Bell